Author Index

Abdalla, H.	A distributed e-commerce system for virtual product development teams	251–264
Abdalla, H. S.	An intelligent system for performance measurement selection	591–606
Abdalla, H. S.	A design to cost system for innovative product development	999–1019
Abdul Budan, D.	Quality assessment and delamination force evaluation in drilling glass fibre-reinforced plastic laminates—a finite element analysis and linear elastic fracture mechanics approach	173–182
Ackroyd, B.	Low-frequency modulation-assisted drilling using linear drives	321–330
Ahmed, A. M.	An intelligent system for performance measurement selection	591–606
Ahn, D. G.	Investigation into development of progressive-type variable lamination manufacturing using expandable polystyrene foam and its apparatus	1239–1252
AlBagawi, J.	Multi-dimensional transient heat conduction in heat exchanger tubesheets	331–345
Al-Mulhim, K.	Multi-dimensional transient heat conduction in heat exchanger tubesheets	331–345
Anastasiou, K. S.	Optimization of the aluminium die casting process based on the Taguchi method	969–977
Anderson, N.	A distributed e-commerce system for virtual product development teams	251–264
Arezoo, B.	Static and dynamic models for predicting the effects of supports on machining flatness and roughness	735–742
Arimoto, S.	Development of the machining producibility evaluation method: quantitative machining producibility evaluation for various processes	761–772
Armarego, E. J. A.	The effect of coatings on the cutting process, friction, forces and predictive cutting models in machining operations	347–356
Aspinwall, D. K.	An integrated approach to the high-speed machining of moulds and dies involving both a knowledge-based system and a chatter detection and control system	1635–1646
Backhouse, C. J.	A boundary-based view of product development—a feasibility study	1–12
Bang, Y.-B.	Linear motor drive ultrahigh-speed injection moulding machine	773–781
Barriere, T.	Improved mould design in metal injection moulding by combination of numerical simulations and experiments	1533–1547
Behzadi, M. R.	Static and dynamic models for predicting the effects of supports on machining flatness and roughness	735–742
Bingül, Z.	Instability phenomena in the gas–metal arc welding self-regulation process	899–910
Booker, J. D.	Joining process selection in support of a proactive design for assembly	1311–1324
Bowland, N. W.	A product data management integrated product configuration and assembly process planning environment	407–418
Brookes, N. J.	A boundary-based view of product development—a feasibility study	1–12
Brown, N.	Waves on wood	475–497
Brown, N. J.	Joining process selection in support of a proactive design for assembly	1311–1324
Burdekin, M.	Rapid volumetric calibration of coordinate measuring machines using a hole bar artefact	1083–1093
Burns, N. D.	A boundary-based view of product development—a feasibility study	1–12
Byrne, G.	The performance of coated tungsten carbide drills when machining carbon fibre-reinforced epoxy composite materials	143–152
Cai, Y.-L.	Global tool interference detection in five-axis machining of sculptured surfaces	1345–1354
Carrino, L.	An automatic visual system for marble tile classification	1095–1108
Chan, A. H. S.	An empirical study of compatibility on rotary control and horizontal display	683–696
Chan, F. T. S.	An intelligent fuzzy decision system for a flexible manufacturing system with multidecision points	1021–1031
Chan, F. T. S.	Evaluation of combined dispatching and routeing strategies for a flexible manufacturing system	1033–1046
Chan, F. T. S.	A fuzzy basis channel-spanning performance measurement method for supply chain management	1155–1167
Chan, H. K.	An intelligent fuzzy decision system for a flexible manufacturing system with multidecision points	1021–1031
Chan, K. W.	Enhanced strategy for milling corners	1135–1154
Chandrasekar, S.	Low-frequency modulation-assisted drilling using linear drives	321–330
Chang, K.-H.	An empirical study of gas penetration in full-shot gas-assisted injection moulded parts	1549–1559
Chang, T.-H.	Effects of design dimensions on the driving force variation of a hybrid TRR-XY parallel kinematic machine tool	571–589

© IMechE 2002

Chang, Y.-C.	Effects of design dimensions on the driving force variation of a hybrid TRR-*XY* parallel kinematic machine tool	571–589
Changeux, B.	Thermal and microstructural analysis of orthogonal cutting of a low alloyed carbon steel using an infrared–charge-coupled device camera technique	153–165
Chattopadhyay, A. B.	The effects of cryogenic cooling on chips and cutting forces in turning AISI 1040 and AISI 4320 steels	713–724
Chellaperumal, J.	Re-examining the machining frictional boundary conditions using fractals	993–997
Chen, C.-K.	Mathematical modelling of elliptic helicoid screw transmission systems	265–280
Chen, D.-C.	Finite element simulations on void closure behaviour inside the sheet during sheet rolling processes	1227–1237
Chen, M.	Development of an ultra-precision grinding system for machining optical aspheric components with a large depth–diameter ratio	1471–1489
Chen, S.-L.	Effects of design dimensions on the driving force variation of a hybrid TRR-*XY* parallel kinematic machine tool	571–589
Chen, W.-F.	Precision design and numerical control machining of tapered ball-end milling cutters	183–197
Chen, W.-F.	A comprehensive engineering model for the design, manufacture and assembly of helical carpenter shapers	1493–1504
Chen, Y.	Study on the life distribution of microdrills	301–305
Chen, Y. H.	Layer-based machining: recent development and support structure design	979–991
Chen, Y.-P.	An investigation of material removal in polishing with fixed abrasives	103–112
Chen, Y.-P.	On the removal of material along a polishing path by fixed abrasives	1217–1225
Cheng, H.-Y.	Studies on the combination of the forward and reverse postprocessor for multiaxis machine tools	77–86
Cheok, B. T.	Web-based metal forming advisory system for the finite element analysis of sheet metal bending	39–45
Cheok, B. T.	An innovative and practical design automation system for progressive dies	1611–1619
Chhabra, P. N.	Low-frequency modulation-assisted drilling using linear drives	321–330
Cho, Y. T.	A numerical analysis of a gas–tungsten arc welding considering the current density and temperature distribution on the electrode surface	1115–1121
Choy H. S.	Enhanced strategy for milling corners	1135–1154
Chui, K. L.	Direct tool-path generation from massive point input	199–206
Chung, K.	Recognition of pass features for automatic parting surface generation in injection moulds	783–796
Chyan, H. C.	Curved helical drill points for microhole drilling	61–75
Clark, L. D.	Optimization for boiling heat transfer determination and enhancement in pressure die casting	1589–1609
Compton, W. D.	Low-frequency modulation-assisted drilling using linear drives	321–330
Corbett, J.	Burn threshold of high-carbon steel in high-efficiency deep grinding	357–364
Craye, E.	Functional and behavioural modelling for dependability in automated production systems	389–405
Culley, S. J.	Compatibility issues for mechanical system modelling with standard components	235–249
Culley, S. J.	Current research in the engineering design requirement	375–388
Dahlman, P.	A comparison of temperature reduction in high-pressure jet-assisted turning using high pressure versus high flowrate	467–473
Dallas, T. P.	A study of design management in the telecommunications industry	13–23
Dangoumau, N.	Functional and behavioural modelling for dependability in automated production systems	389–405
Darlington, M. J.	Current research in the engineering design requirement	375–388
Davey, K.	Optimization for boiling heat transfer determination and enhancement in pressure die casting	1589–1609
Deng, J. X.	Analysis of fracture at the exit of engineering ceramics during the vibration drilling of a hole	1109–1113
Dewes, R. C.	An integrated approach to the high-speed machining of moulds and dies involving both a knowledge-based system and a chatter detection and control system	1635–1646
Dhar, N. R.	The effects of cryogenic cooling on chips and cutting forces in turning AISI 1040 and AISI 4320 steels	713–724
Dickens, P. M.	Selection of mould design variables in direct stereolithography injection mould tooling	499–505
Dimov, S. S.	Laser milling	657–667
Domblesky, J. P.	Fracture criteria evaluation and finite element modelling of plate shearing	25–38
Domblesky, J. P.	Two-dimensional and three-dimensional finite element models of external thread rolling	507–517
Domblesky, J. P.	Assessment of a finite element model for plate shearing	519–529
Dong, S.	Development of an ultra-precision grinding system for machining optical aspheric components with a large depth–diameter ratio	1471–1479

© IMechE 2002

Ehmann, K. F.	Curved helical drill points for microhole drilling	61–75
Erasmuson, L.	A study of design management in the telecommunications industry	13–23
Ezugwu, E. O.	Wear evaluation of a self-propelled rotary tool when machining titanium alloy IMI 318	891–897
Feng, F.	Two-dimensional and three-dimensional finite element models of external thread rolling	507–517
Fortin, C.	Tool path error prediction of a five-axis machine tool with geometric errors	697–712
Fuh, J. Y. H.	Development of a semi-automated die casting die design system	1575–1558
Gao, J.	Extracting weld penetration information in tungsten–inert gas welding	207–214
Gao, J. X.	A product data management integrated product configuration and assembly process planning environment	407–418
Gao, J. X.	Implementation of STEP Application Protocol 224 in an automated manufacturing planning system	1277–1289
Gelin, J.-C.	Improved mould design in metal injection moulding by combination of numerical simulations and experiments	1533–1547
Ghoreishi, M.	Statistical modelling of laser percussion drilling for hole taper and circularity control	307–319
Gilchrist, M. D.	The performance of coated tungsten carbide drills when machining carbon fibre-reinforced epoxy composite materials	143–152
Habib, M. A.	Multi-dimensional transient heat conduction in heat exchanger tubesheets	331–345
Hagan, E.	Forming parameters for incremental forming of aluminium alloy sheet metal	1367–1372
Harris, R. A.	Selection of mould design variables in direct stereolithography injection mould tooling	499–505
Harrison, A. J. L.	Prediction of lobe growth and decay in centreless grinding based on geometric considerations	1201–1216
Harrison, R.	An implementation of the business process modelling approach in the automotive industry	1413–1427
Henderson, R. J.	Finite element modelling of decompression after isostatic pressing	215–224
Hicks, B. J.	Compatibility issues for mechanical system modelling with standard components	235–249
Hinduja, S.	Evaluation of existing and new feature recognition algorithms. Part 1: theory and implementation	839–851
Hinduja, S.	Evaluation of existing and new feature recognition algorithms. Part 2: experimental results	853–866
Hinduja, S.	Optimization for boiling heat transfer determination and enhancement in pressure die casting	1589–1609
Hoogstrate, A. M.	Abrasive water jet machining of glass fibre metal laminates	1459–1469
Hou, W.	Forging force in resistance spot welding	957–968
Hsu, Y. L.	Minimizing angular backlash of a multistage gear train	565–569
Hu, D.	Improving solid freeform fabrication by laser-based additive manufacturing	1253–1264
Hu, S. J.	Forging force in resistance spot welding	957–968
Hwang, Y.-M.	Finite element simulations on void closure behaviour inside the sheet during sheet rolling processes	1227–1237
Inasaki, I.	Investigation and utilization of the acoustic emission signal for monitoring the dressing process	543–553
Isherwood, R.	Multiple pulse heating cycles during the enclosed laser ablation of a laminated metallized polymer	1373–1384
Ito, S.	Linear motor drive ultrahigh-speed injection moulding machine	773–781
Jackman, J.	A Shannon sampling approach to form error estimation	225–233
Jackson, M. R.	Waves on wood	475–497
Jacobson, M.	Surface integrity of hard-turned M50 steel	47–54
Jeswiet, J.	Forming parameters for incremental forming of aluminium alloy sheet metal	1367–1372
Jiang, R. D.	An innovative and practical design automation system for progressive dies	1611–1619
Jin, T.	Burn threshold of high-carbon steel in high-efficiency deep grinding	357–364
Jo, H. H.	Pass schedule design system in the dry wire-drawing process of high carbon steel	365–373
Jywe, W.	Study using position silicon detectors for performance testing of computer numerically controlled machine tools	725–733
Kanzaki, S.	Influence of micromachining on strength degradation of silicon nitride	55–60
Kazerooni, A.	An intelligent fuzzy decision system for a flexible manufacturing system with multidecision points	1021–1031
Kim, B. M.	Pass schedule design system in the dry wire-drawing process of high carbon steel	365–373
Kim, B. M.	Friction characteristics for surface finish and the stoning direction of stamping dies	531–542
Kim, D. H.	Friction characteristics for surface finish and the stoning direction of stamping dies	531–542
Kim, J.-W.	A study on an automatic seam tracking system by using an electromagnetic sensor for sheet metal arc welding of butt joints	911–920
Kim, M. A.	Pass schedule design system in the dry wire-drawing process of high carbon steel	365–373
Kim, T.	Recognition of pass features for automatic parting surface generation in injection moulds	783–796

© IMechE 2002

Kovacevic, R.	Mechanically assisted droplet transfer process in gas metal arc welding	555–564
Kovacevic, R.	Improving solid freeform fabrication by laser-based additive manufacturing	1253–1264
Kovacevic, R.	On-line monitoring of the keyhole welding pool in variable polarity plasma arc welding	1265–1276
Kovacevic, R.	Feasibility study of acoustic sensing for the welding pool mode in variable-polarity plasma arc welding	1355–1366
Kuo, L.-Y.	A genetic algorithm-based parameter-tuning algorithm for multi-dimensional motion control of a computer numerical control machine tool	429–438
Lai, H.-Y.	Precision design and numerical control machining of tapered ball-end milling cutters	183–197
Lai, H.-Y.	Mathematical modelling of elliptic helicoid screw transmission systems	265–280
Lai, H.-Y.	A comprehensive engineering model for the design, manufacture and assembly of helical carpenter shapers	1493–1504
Lawrence, J.	A comparative investigation of the efficacy of CO_2 and high-power diode lasers for the forming of EN3 mild steel sheets	1481–1491
Lebrun, J. L.	Thermal and microstructural analysis of orthogonal cutting of a low alloyed carbon steel using an infrared–charge-coupled device camera technique	153–165
Le Calvez, C.	Thermal and microstructural analysis of orthogonal cutting of a low alloyed carbon steel using an infrared–charge-coupled device camera technique	153–165
Lee, H. P.	Web-based metal forming advisory system for the finite element analysis of sheet metal bending	39–45
Lee, J. H.	A numerical analysis of a gas–tungsten arc welding considering the current density and temperature distribution on the electrode surface	1115–1121
Lee, K.	Recognition of pass features for automatic parting surface generation in injection moulds	783–796
Lee, K.-M.	Image synthesis methodology for algorithm testing and vision system design	669–682
Lee, K. S.	The application of U-shape milled grooves for cooling of injection moulds	1561–1573
Lee, K. S.	Development of a semi-automated die casting die design system	1575–1558
Lee, S. H.	Investigation into development of progressive-type variable lamination manufacturing using expandable polystyrene foam and its apparatus	1239–1252
Lee, S. K.	Pass schedule design system in the dry wire-drawing process of high carbon steel	365–373
Lee, T. C.	Direct tool-path generation from massive point input	199–206
Lee, Y.	Friction characteristics for surface finish and the stoning direction of stamping dies	531–542
Lettice, F. E.	A boundary-based view of product development—a feasibility study	1–12
Levy, G. N	Overview of layer manufacturing technologies, opportunities, options and applications for rapid tooling	1621–1634
Li, D.	Development of an ultra-precision grinding system for machining optical aspheric components with a large depth–diameter ratio	1471–1479
Li, L.	Comparison of intra- and interpulse modulation in laser percussion drilling	167–171
Li, L.	Statistical modelling of laser percussion drilling for hole taper and circularity control	307–319
Li, L.	Multiple pulse heating cycles during the enclosed laser ablation of a laminated metallized polymer	1373–1384
Li, Z.-Z.	On cutting forces in peripheral milling of curved surfaces	1385–1398
Liang, J.	Precision rapid mould by transferred coating	753–759
Lim, C. K.	Rapid volumetric calibration of coordinate measuring machines using a hole bar artefact	1083–1093
Lin, Y.	On cutting forces in peripheral milling of curved surfaces	1385–1398
Ling, Y. E.	Web-based metal forming advisory system for the finite element analysis of sheet metal bending	39–45
Liu, B.	Improved mould design in metal injection moulding by combination of numerical simulations and experiments	1533–1547
Liu, S.-J.	An empirical study of gas penetration in full-shot gas-assisted injection moulded parts	1549–1559
Low, D. K. Y.	Comparison of intra- and interpulse modulation in laser percussion drilling	167–171
Low, D. K. Y.	Statistical modelling of laser percussion drilling for hole taper and circularity control	307–319
Lu, Q.	Boundary model between casting and mould and its influence on the dimensional accuracy analysis of precision castings	1123–1134
Luis Pérez, C. J.	Uncertainty analysis of multijet modelling processes for rapid prototyping of parts	743–752
Maksoud, T. M. A.	Suppression of chatter in grinding using high-viscosity coolants	113–123
Masclet, C.	Obtaining an optimal compression spring design directly from a user specification	419–428
Mayer, J. R. R.	Tool path error prediction of a five-axis machine tool with geometric errors	697–712
Mei, H.	Improving solid freeform fabrication by laser-based additive manufacturing	1253–1264
Min, B. H.	Friction characteristics for surface finish and the stoning direction of stamping dies	531–542
Mir, Y. A.	Tool path error prediction of a five-axis machine tool with geometric errors	697–712
Miyakawa, S.	Development of the machining producibility evaluation method: quantitative machining producibility evaluation for various processes	761–772

© IMechE 2002

Mohole, A.	WebCAD: a computer aided design tool constrained with explicit 'design for manufacturability' rules for computer numerical control milling	879–889
Mokbel, A. A.	Suppression of chatter in grinding using high-viscosity coolants	113–123
Monfarad, R. P.	An implementation of the business process modelling approach in the automotive industry	1413–1427
Moriarty, B.	Finite element modelling of decompression after isostatic pressing	215–224
M'Saoubi, R.	Thermal and microstructural analysis of orthogonal cutting of a low alloyed carbon steel using an infrared–charge-coupled device camera technique	153–165
Murphy, C.	The performance of coated tungsten carbide drills when machining carbon fibre-reinforced epoxy composite materials	143–152
Na, S.-J.	A numerical analysis of a gas–tungsten arc welding considering the current density and temperature distribution on the electrode surface	1115–1121
Nanda Kishore, S. V.	The effects of cryogenic cooling on chips and cutting forces in turning AISI 1040 and AISI 4320 steels	713–724
Nee, A. Y. C.	The application of U-shape milled grooves for cooling of injection moulds	1561–1573
Nee, A. Y. C.	An innovative and practical design automation system for progressive dies	1611–1619
Ohashi, T.	Development of the machining producibility evaluation method: quantitative machining producibility evaluation for various processes	761–772
Olajire, K. A.	Wear evaluation of a self-propelled rotary tool when machining titanium alloy IMI 318	891–897
Owodunni, O.	Evaluation of existing and new feature recognition algorithms. Part 1: theory and implementation	839–851
Owodunni, O	Evaluation of existing and new feature recognition algorithms. Part 2: experimental results	853–866
Paredes, M.	Obtaining an optimal compression spring design directly from a user specification	419–428
Parker, J. M.	Image synthesis methodology for algorithm testing and vision system design	669–682
Parkin, R. M.	Waves on wood	475–497
Paul, S.	The effects of cryogenic cooling on chips and cutting forces in turning AISI 1040 and AISI 4320 steels	713–724
Paul, S.	Abrasive water jet machining of glass fibre metal laminates	1459–1469
Pearce, T. R. A.	Prediction of lobe growth and decay in centreless grinding based on geometric considerations	1201–1216
Peić, M.	Computer aided process and design optimization for injection moulding	1523–1532
Petkov, P. V.	Laser milling	657–667
Petkov, S. P.	Laser milling	657–667
Pham, D. T.	Laser milling	657–667
Polini, W.	An automatic visual system for marble tile classification	1095–1108
Poon, K. K.	An empirical study of compatibility on rotary control and horizontal display	683–696
Qi, H. J.	A fuzzy basis channel-spanning performance measurement method for supply chain management	1155–1167
Radhakrishnan, V.	Investigations on the application of solid lubricants in grinding	1325–1344
Raine, J. K.	A study of design management in the telecommunications industry	13–23
Raman, S.	Re-examining the machining frictional boundary conditions using fractals	993–997
Said, S. A. M.	Multi-dimensional transient heat conduction in heat exchanger tubesheets	331–345
Samaranayake, P.	The effect of coatings on the cutting process, friction, forces and predictive cutting models in machining operations	347–356
Sartor, M.	Obtaining an optimal compression spring design directly from a user specification	419–428
Schindel, R.	Overview of layer manufacturing technologies, opportunities, options and applications for rapid tooling	1621–1634
Séquin, C.	WebCAD: a computer aided design tool constrained with explicit 'design for manufacturability' rules for computer numerical control milling	879–889
Shaji, S.	Investigations on the application of solid lubricants in grinding	1325–1344
Shan, Z.	Precision rapid mould by transferred coating	753–759
Sharma, R.	Implementation of STEP Application Protocol 224 in an automated manufacturing planning system	1277–1289
She, C.-H.	Studies on the combination of the forward and reverse postprocessor for multiaxis machine tools	77–86
Shehab, E. M.	A design to cost system for innovative product development	999–1019
Shim, H.	Optimal blank shape design by the iterative sensitivity method	867–878
Shum, V. W. Y.	An empirical study of compatibility on rotary control and horizontal display	683–696
Sim, W. M.	An integrated approach to the high-speed machining of moulds and dies involving both a knowledge-based system and a chatter detection and control system	1635–1646
Smart, P. K.	A boundary-based view of product development—a feasibility study	1–12

© IMechE 2002

Son, K.	Optimal blank shape design by the iterative sensitivity method	867–878
Song, Y.	Boundary model between casting and mould and its influence on the dimensional accuracy analysis of precision castings	1123–1134
Stephenson, D. J.	Burn threshold of high-carbon steel in high-efficiency deep grinding	357–364
Stewart, R.	Multiple pulse heating cycles during the enclosed laser ablation of a laminated metallized polymer	1373–1384
Sun, D. M.	Analysis of fracture at the exit of engineering ceramics during the vibration drilling of a hole	1109–1113
Sun, Y. F.	The application of U-shape milled grooves for cooling of injection moulds	1561–1573
Swift, K. G.	Joining process selection in support of a proactive design for assembly	1311–1324
Sze, W. S.	Layer-based machining: recent development and support structure design	979–991
Szekeres, A.	Forming parameters for incremental forming of aluminium alloy sheet metal	1367–1372
Tam, H. Y.	An investigation of material removal in polishing with fixed abrasives	103–112
Tam, H. Y.	On the removal of material along a polishing path by fixed abrasives	1217–1225
Tang, H.	Forging force in resistance spot welding	957–968
Toguyeni, A. K. A.	Functional and behavioural modelling for dependability in automated production systems	389–405
Tung, C.-y.	Comparison of environmental performance between plastic and steel fuel tanks	1443–1457
Turchetta, S.	An automatic visual system for marble tile classification	1095–1108
Turng, S.	Computer aided process and design optimization for injection moulding	1523–1532
Ulsoy, A. G.	Dynamic stiffness evaluation for reconfigurable machine tools including weakly non-linear joint characteristics	87–101
van Praag, R.	Abrasive water jet machining of glass fibre metal laminates	1459–1469
Venkatesan, G.	Discussion and analysis of stochastic feedback control adjustment	1429–1442
Verezub, S.	The effect of coatings on the cutting process, friction, forces and predictive cutting models in machining operations	347–356
Vijayarangan, S.	Quality assessment and delamination force evaluation in drilling glass fibre-reinforced plastic laminates—a finite element analysis and linear elastic fracture mechanics approach	173–182
Vivancos Calvet, J.	Uncertainty analysis of multijet modelling processes for rapid prototyping of parts	743–752
Wakuda, M.	Influence of micromachining on strength degradation of silicon nitride	55–60
Wang, H.	On-line monitoring of the keyhole welding pool in variable polarity plasma arc welding	1265–1276
Wang, H.	Feasibility study of acoustic sensing for the welding pool mode in variable-polarity plasma arc welding	1355–1366
Wang, M. H.	Comparison of environmental performance between plastic and steel fuel tanks	1443–1457
Wang, S. G.	Minimizing angular backlash of a multistage gear train	565–569
Wang, Z. M.	Wear evaluation of a self-propelled rotary tool when machining titanium alloy IMI 318	891–897
Wehmeier, M.	Investigation and utilization of the acoustic emission signal for monitoring the dressing process	543–553
West, A. A.	An implementation of the business process modelling approach in the automotive industry	1413–1427
Weston, R. H.	An implementation of the business process modelling approach in the automotive industry	1413–1427
Whybrew, K.	A study of design management in the telecommunications industry	13–23
Wright, P.	WebCAD: a computer aided design tool constrained with explicit 'design for manufacturability' rules for computer numerical control milling	879–889
Wu, C.	Extracting weld penetration information in tungsten–inert gas welding	207–214
Wu, D.-S.	Mathematical modelling of elliptic helicoid screw transmission systems	265–280
Wu, S. H.	Development of a semi-automated die casting die design system	1575–1558
Wu, Y.	Mechanically assisted droplet transfer process in gas metal arc welding	555–564
Xi, G.	Global tool interference detection in five-axis machining of sculptured surfaces	1345–1354
Xu, D.	Boundary model between casting and mould and its influence on the dimensional accuracy analysis of precision castings	1123–1134
Yamauchi, Y.	Influence of micromachining on strength degradation of silicon nitride	55–60
Yan, Y.	Precision rapid mould by transferred coating	753–759
Yan, Y.	Boundary model between casting and mould and its influence on the dimensional accuracy analysis of precision castings	1123–1134
Yang, D. Y.	Investigation into development of progressive-type variable lamination manufacturing using expandable polystyrene foam and its apparatus	1239–1252
Yang, T.-H.	A Shannon sampling approach to form error estimation	225–233
Yang, Y.	Study on the life distribution of microdrills	301–305
Yang, Z.	Study on the life distribution of microdrills	301–305
Yang, Z. Y.	Layer-based machining: recent development and support structure design	979–991

© IMechE 2002

Yen, J.-Y.	A genetic algorithm-based parameter-tuning algorithm for multi-dimensional motion control of a computer numerical control machine tool	429–438
Yigit, A. S.	Dynamic stiffness evaluation for reconfigurable machine tools including weakly non-linear joint characteristics	87–101
Yilbas, B.	Multi-dimensional transient heat conduction in heat exchanger tubesheets	331–345
You, B.-H.	A study on an automatic seam tracking system by using an electromagnetic sensor for sheet metal arc welding of butt joints	911–920
Yu, K. M.	Direct tool-path generation from massive point input	199–206
Yuan, C.-M.	An investigation of material removal in polishing with fixed abrasives	103–112
Yuan, C.-M.	On the removal of material along a polishing path by fixed abrasives	1217–1225
Zhang, J. H.	Analysis of fracture at the exit of engineering ceramics during the vibration drilling of a hole	1109–1113
Zhang, L.	An investigation of material removal in polishing with fixed abrasives	103–112
Zhang, L.	On the removal of material along a polishing path by fixed abrasives	1217–1225
Zhang, L.	On cutting forces in peripheral milling of curved surfaces	1385–1398
Zhang, Q. H.	Analysis of fracture at the exit of engineering ceramics during the vibration drilling of a hole	1109–1113
Zhang, Q. J.	Analysis of fracture at the exit of engineering ceramics during the vibration drilling of a hole	1109–1113
Zhang, R.	Precision rapid mould by transferred coating	753–759
Zhang, R.	Boundary model between casting and mould and its influence on the dimensional accuracy analysis of precision castings	1123–1134
Zhang, W. Z.	An innovative and practical design automation system for progressive dies	1611–1619
Zhang, Z.-H.	On cutting forces in peripheral milling of curved surfaces	1385–1398
Zhao, L.	Fracture criteria evaluation and finite element modelling of plate shearing	25–38
Zhao, L.	Assessment of a finite element model for late shearing	519–529
Zhao, Q.	Development of an ultra-precision grinding system for machining optical aspheric components with a large depth–diameter ratio	1471–1479
Zheng, L.	On the removal of material along a polishing path by fixed abrasives	1217–1225
Zheng, L.	On cutting forces in peripheral milling of curved surfaces	1385–1398
Zhou, Z.-D.	An investigation of material removal in polishing with fixed abrasives	103–112
Zhou, Z.-D.	On the removal of material along a polishing path by fixed abrasives	1217–1225

Short Communications in Manufacture and Design

Aborhey, S.	Development of a PC-based computer numerical control drilling machine	1509–1515
Ahn, S. H.	Mechanical implementation services for rapid prototyping	1193–1199
Almström, P.	A categorization of functional couplings in manufacturing systems	623–626
Angeli, C.	Prediction and diagnosis of faults in hydraulic systems	293–297
Axinte, D. A.	Optimization strategy for turning operation accounting for cutting tool wear history	1407–1411
Bamforth, S.	Incorporating the voice of multiple customers into product design	809–813
Bangert, C.	Optimized design with topology and shape optimization	1187–1191
Bauernhansl, T.	Engineering process management (EPM)—with Intranet support to innovative product	617–622
Boughton, N. J.	Improved production planning and control via low-cost prototype solutions	649–653
Boulos, A. M.	A fuzzy logic approach to accommodate thermal stress and improve the start-up phase in combined cycle power plants	945–956
Bramley, A. N.	Determination of the heat transfer coefficient at the workpiece–die interface for the forging process	1179–1186
Brennan, R. W.	Evaluating alternative manufacturing control strategies using a benchmark system	927–932
Brookes, N. J.	Incorporating the voice of multiple customers into product design	809–813
Burnham, K. J.	A fuzzy logic approach to accommodate thermal stress and improve the start-up phase in combined cycle power plants	945–956
Caridi, M.	Managing safety and strategic stocks to improve materials requirements planning performance	1061–1065
Casalino, G.	Parameter selection by an artificial neural network for a laser bending process	1517–1520
Cavallucci, D.	Methodology for bringing the intuitive design method's framework into design activities	1303–1307
Chang, C. C.	Determination of the heat transfer coefficient at the workpiece–die interface for the forging process	1179–1186
Chatzinikolaou, A.	Prediction and diagnosis of faults in hydraulic systems	293–297
Chen, X.	The sharpness of grinding wheels: an important measure of grinding behaviour	829–832
Cheng, K.	Three-dimensional extension of Bresenham's algorithm and its application in straight-line interpolation	459–463

© IMechE 2002

Cigolini, R.	Managing safety and strategic stocks to improve materials requirements planning performance	1061–1065
Cole, M. O. T.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Cotterell, M.	Workpiece temperature measurement in machining	135–139
Cui, S.	Three-dimensional optimum design of the cooling lines of injection moulds based on boundary element design sensitivity analysis	1067–1071
Cunningham, J. L.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Davidson, J. C.	Optimizing resources: assessment of manufacturing practice	815–820
Dawes, T. B.	Improved production planning and control via low-cost prototype solutions	649–653
Elsner, J.	Efficient allocation of knowledge in distributed business structures	939–943
Eversheim, W.	Engineering process management (EPM)—with Intranet support to innovative products	617–622
Farr, R.	Collaborative development using EMProDS: the electromechanical product design system	453–457
Frawley, P.	Innovative manufacture of impulse turbine blades for wave energy power conversion	1053–1059
Galio, A. F.	Uniaxial compression tests of aluminium foams	633–636
Gayretli, A.	Collaborative development using EMProDS: the electromechanical product design system	453–457
Giddins, G. E. B.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Gindy, N.	Collaborative development using EMProDS: the electromechanical product design system	453–457
Gindy, N.	Optimization strategy for turning operation accounting for cutting tool wear history	1407–1411
Govender, E.	Towards deflection prediction and compensation in machining of low-rigidity parts	129–134
Haag, F. C.	Uniaxial compression tests of aluminium foams	633–636
Hou, Z.	A numerical investigation of diffuse images for effective defect detection	1073–1079
Huang, G. Q.	Fuzzy set theoretical approach to design review of fuel pumps	287–292
Jiang, Z.	Fuzzy set theoretical approach to design review of fuel pumps	287–292
John, P.	Supporting fault diagnosis through a multi-agent architecture	627–631
Jun, Y.	Automated segmentation of point data in a feature-based reverse engineering system	445–451
Kanarachos, S. A.	A neural network approach to the design of a vehicle's non-linear hybrid suspension system	833–838
Keogh, P. S.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Khaleeq, H. B.	Innovative manufacture of impulse turbine blades for wave energy power conversion	1053–1059
Kumar, S.	Development of a PC-based computer numerical control drilling machine	1509–1515
Langdon, I. J.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Lee, S.	An application of rough set theory to defect detection of automotive glass	637–641
Leonard, L.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Li, D.	Three-dimensional optimum design of the cooling lines of injection moulds based on boundary element design sensitivity analysis	1067–1071
Liu, X.-W.	Three-dimensional extension of Bresenham's algorithm and its application in straight-line interpolation	459–463
Loftus, M.	A theory to support the high-speed computer numerical control machining of corner profiles	643–647
Ludovico, A. D.	Parameter selection by an artificial neural network for a laser bending process	1517–1520
Lutz, P.	Methodology for bringing the intuitive design method's framework into design activities	1303–1307
McMains, S.	Mechanical implementation services for rapid prototyping	1193–1199
Mårtensson, P.	A categorization of functional couplings in manufacturing systems	623–626
Marzi, H.	Development of a real-time monitoring system	933–937
Marzi, R.	Supporting fault diagnosis through a multi-agent architecture	627–631
Miles, A. W.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Mullineux, G.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Neithardt, W.	Optimized design with topology and shape optimization	1187–1191
Niemann, J.	Digital information—potentials for TeleX applications	801–808
Nikov, S.	Towards deflection prediction and compensation in machining of low-rigidity parts	129–134
O, W.	Evaluating alternative manufacturing control strategies using a benchmark system	927–932
Onwubolu, G. C.	Development of a PC-based computer numerical control drilling machine	1509–1515
O'Sullivan, D.	Workpiece temperature measurement in machining	135–139
Park, S.	Automated segmentation of point data in a feature-based reverse engineering system	445–451
Parker, J. M.	A numerical investigation of diffuse images for effective defect detection	1073–1079
Prasad, M.	Development of a PC-based computer numerical control drilling machine	1509–1515
Prest, P. H.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Ratchev, S.	Towards deflection prediction and compensation in machining of low-rigidity parts	129–134
Reddy, H.	Development of a PC-based computer numerical control drilling machine	1509–1515

© IMechE 2002

Schaeffer, L.	Uniaxial compression tests of aluminium foams	633–636
Schröder, J.	Engineering process management (EPM)—with Intranet support to innovative products	617–622
Sekhon, G. S.	An intelligent system for optimal selection of dies and tools for sheet metal operations	821–828
Séquin, C. H.	Mechanical implementation services for rapid prototyping	1193–1199
Sheahan, C.	Innovative manufacture of impulse turbine blades for wave energy power conversion	1053–1059
Singh, R.	An intelligent system for optimal selection of dies and tools for sheet metal operations	821–828
Singh, R.	Development of a PC-based computer numerical control drilling machine	1509–1515
Singh, S.	Development of a PC-based computer numerical control drilling machine	1509–1515
Sirkett, D. M.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Spath, D.	Efficient allocation of knowledge in distributed business structures	939–943
Spath, D.	Optimized design with topology and shape optimization	1187–1191
Speller, H.	Collaborative development using EMProDS: the electromechanical product design system	453–457
Spentzas, K. N.	A neural network approach to the design of a vehicle's non-linear hybrid suspension system	833–838
Sternemann, K.-H.	Efficient allocation of knowledge in distributed business structures	939–943
Stolz, M.	Digital information—potentials for TeleX applications	801–808
Thakker, A.	Innovative manufacture of impulse turbine blades for wave energy power conversion	1053–1059
Thiébaud, F.	Methodology for bringing the intuitive design method's framework into design activities	1303–1307
Tilley, D. G.	Engineering a new wrist joint replacement prosthesis—a multidisciplinary approach	1297–1302
Vachtsevanos, G.	An application of rough set theory to defect detection of automotive glass	637–641
Villa, A.	Temporary network of enterprises: managing complexity by a multi-agent architecture	611–616
Wang, D.	A theory to support the high-speed computer numerical control machining of corner profiles	643–647
Westkämper, E.	Digital information—potentials for TeleX applications	801–808
Williams, A.	Optimizing resources: assessment of manufacturing practice	815–820
Wright, P. K.	Mechanical implementation services for rapid prototyping	1193–1199
Zhou, H.	Three-dimensional optimum design of the cooling lines of injection moulds based on boundary element design sensitivity analysis	1067–1071

© IMechE 2002